

MATERIAL SAFETY DATA SHEET

SECTION I - MANUFACTURER'S INFORMATION

| | |
|----------------------------------|--|
| MANUFACTURER'S NAME | WOODSTREAM CORPORATION AN EKCO GROUP COMPANY 69 NORTH LOCUST STREET LITITZ, PA 17543 |
| EMERGENCY TELEPHONE NUMBERS | 800-800-1819 (WOODSTREAM) 800-424-9300 (24 HOUR DOMESTIC) 703-527-3887 (24 HOUR INTERNATIONAL) |
| TELEPHONE NUMBER FOR INFORMATION | 717-626-2125 |
| DATE THIS MSDS PREPARED | November 16, 1998 |

SECTION II - COMPONENTS / IDENTITY INFORMATION

VICTOR POISON-FREE WASP & HORNET KILLER

| INGREDIENT PERCENT | PERCENT | INGREDIENT | PERCENT |
|-----------------------|---------|------------|---------|
| Mint Oil | 8% | Inerts | 91% |
| Sodium Lauryl Sulfate | 1% | | |

SECTION III - PHYSICAL AND CHEMICAL CHARACTERISTICS

| | |
|---|------------------------------|
| BOILING POINT | 100.5 C |
| VAPOR PRESSURE (psi @ 75 F) | 93 psi |
| VAPOR DENSITY (Lighter or Heavier than Air) | Lighter than air |
| SPECIFIC GRAVITY (H ₂ O = 1) | 0.98 g/mL |
| EVAPORATION RATE (Compared to Xylene) | 2.5 times slower than Xylene |
| pH | 4.32 |
| PERCENT VOLATILES | 2.1% |
| ODOR | MINTY |

MATERIAL SAFETY DATA SHEET

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

| | |
|------------------------------------|--------------------------------------|
| FLASH POINT | > 212 F |
| FLAMMABLE LIMITS | NOT FLAMMABLE |
| EXTINGUISHING MEDIA | CO ₂ , FOAM, DRY CHEMICAL |
| SPECIAL FIRE-FIGHTING PROCEDURES | N/A |
| UNUSUAL FIRE AND EXPLOSION HAZARDS | N/A |

SECTION V - REACTIVITY DATA

| | |
|---|--------------------------------|
| STABILITY | STABLE |
| INCOMPATIBILITY (MATERIALS TO AVOID) | STRONG ACIDS, STRONG OXIDIZERS |
| HAZARDOUS DECOMPOSITION OR | NONE FOUND |

| | |
|--------------------------|----------------|
| BYPRODUCTS | |
| HAZARDOUS POLYMERIZATION | WILL NOT OCCUR |

SECTION VI - HEALTH HAZARD DATA

| | |
|-------------------------------|---|
| PRIMARY ROUTES OF ENTRY: | PRODUCT CAN ENTER VIA INHALATION, INGESTION, OR SKIN CONTACT |
| EFFECTS OF ACUTE OVEREXPOSURE | <p><u>EYES</u> - MAY CAUSE IRRITATION</p> <p><u>SKIN</u> - PROLONGED CONTACT MAY CAUSE IRRITATION</p> <p><u>BREATHING</u> - VAPORS MAY IRRITATE</p> <p><u>SWALLOWING</u> - MAY CAUSE STOMACH IRRITATION</p> |

MATERIAL SAFETY DATA SHEET

SECTION VI - HEALTH HAZARD DATA

| | |
|------------------------------------|---|
| HEALTH HAZARDS | LIQUID MAY IRRITATE SKIN AND EYES |
| PERMISSIBLE EXPOSURE LEVEL | NONE FOUND |
| EFFECTS OF CHRONIC OVEREXPOSURE | NONE FOUND |
| EMERGENCY AND FIRST AID PROCEDURES | <p><u>IF ON SKIN</u> - WASH WITH SOAP AND WATER</p> <p><u>IF IN EYES</u> - FLUSH WITH WATER, LIFTING UPPER AND LOWER LIDS OCCASIONALLY.</p> <p><u>IF SWALLOWED</u> - RINSE MOUTH WITH WATER; SEEK MEDICAL ADVICE</p> <p><u>IF INHALED</u> - REMOVE TO FRESH AIR</p> |

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

| | |
|--|--|
| STEPS TO BE TAKEN IN EVENT MATERIAL IS RELEASED OR SPILLED | <u>SMALL SPILL</u> - WASH AREA WITH SOAPY WATER <u>LARGE SPILL</u> - WASH AREA WITH SOAPY WATER |
| WASTE DISPOSAL METHOD | FOLLOW STATE, LOCAL AND FEDERAL REGULATIONS |
| OTHER PRECAUTIONS | SPILLED MATERIAL IS SLIPPERY. WASH THOROUGHLY WITH SOAP AND WATER |
| UN HAZARD CODE | 8000 (For International shipping by air) 1950 (For International shipping by sea) |
| HAZARD CLASS or DIVISION | CONSUMER COMMODITY/ ORM-D |

SECTION VIII - CONTROL MEASURES

| | |
|--|--|
| RESPIRATORY PROTECTION (SPECIFY TYPE) | ODOR MASK IF VAPORS ARE FOUND TO BE TOO STRONG |
| VENTILATION | MECHANICAL |
| PROTECTIVE GLOVES | OIL/SOLVENT RESISTANT |
| EYE PROTECTION | CHEMICAL SPLASH GOGGLES |
| OTHER PROTECTIVE CLOTHING OR EQUIPMENT | N/A |

[Close Window](#)